

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing contracting Officer for the Contract/PR No. Listed in Block E.

| | | |
|---------------------------|-----------------|--|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT A | C. CATEGORY: TDP TM OTHER |
|---------------------------|-----------------|--|

| | | |
|--|--|---------------|
| D. SYSTEM/ITEM Low Pressure Air Plant | E. CONTRACT/PR NO. N65540-00-R-0077 | F. CONTRACTOR |
|--|--|---------------|

| | | |
|--------------------------|---|---|
| 1. DATA ITEM NO. A001 | 2. TITLE OF DATA ITEM Test Procedure | 3. SUBTITLE First Article Performance Test Procedure |
|--------------------------|---|---|

17. PRICE GROUP

| | | |
|---|---|---|
| 4. AUTHORITY (Date Acquisition Document No.) DI-DRPR-80651 | 5. CONTRACTING REFERENCE 0008AA & LPAP Perf. Spec para 4.1.3.1.3.1 | 6. REQUIRING OFFICE NSWCCD SSES 9214 |
|---|---|---|

18. ESTIMATED
TOTAL PRICE

| | | | | |
|---------------------|------------------------------------|-------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1 time | 12. DATE OF FIRST SUBMISSION See block 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION See blk 16 | a. ADDRESSEE |

16. REMARKS:
Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083
Block 8, 12 and 13. Submit draft for government aproval 60 days after DAC. award. The government has 30 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised drait shall be sunbmitted no later than 30 days after government disapproval has been issued.

| | | | |
|-----------|---|---|--|
| NSWCCD | | | |
| Code 9214 | 1 | 1 | |
| Code | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 15. TOTAL | | | |

| | | |
|--------------------------|---|--|
| 1. DATA ITEM NO. A002 | 2. TITLE OF DATA ITEM Test/inspection Report | 3. SUBTITLE First Article Performance Test Report |
|--------------------------|---|--|

17. PRICE GROUP

| | | |
|--|---|-----------------------------------|
| 4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80809B | 5. CONTRACTING REFERENCE 0008AB & LPAP Perf. Spec para 4.1.3.1.3.3 | 6. REQUIRING OFFICE see blk 16 |
|--|---|-----------------------------------|

18. ESTIMATED
TOTAL PRICE

| | | | | |
|---------------------|------------------------------------|-------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1 time | 12. DATE OF FIRST SUBMISSION see blk 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE n/a | 13. DATE OF SUBSEQUENT SUBMISSION see blk 16 | a. ADDRESSEE |

16. REMARKS:
Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083
Block 8, 12 and 13. Submit draft for government aproval 30 days after completion of test. The government has 30 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised draft shall be sunbmitted no later than 30 days after government comments have been issued.

| | | | |
|-------------|---|---|--|
| NSWCCD 9214 | 1 | 2 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 15. TOTAL | | | |

| | | | |
|---------------------------------|---------------------|--|---------------------|
| G. PREPARED BY: Dawn E. Ware | H. DATE 10/18/00 | I. APPROVED BY: J. Jeffrey Crayland | J. DATE 10/18/00 |
|---------------------------------|---------------------|--|---------------------|

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Listed in Block E.

| | | |
|---------------------------|-----------------|--|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT A | C. CATEGORY: TDP TM OTHER |
|---------------------------|-----------------|--|

| | | |
|--|--|---------------|
| D. SYSTEM/ITEM Low Pressure Air Plant | E. CONTRACT/PR NO. N65540-00-R-0077 | F. CONTRACTOR |
|--|--|---------------|

| | | |
|--------------------------|---|-----------------------------------|
| 1. DATA ITEM NO. A003 | 2. TITLE OF DATA ITEM Test Procedure | 3. SUBTITLE EMI Test Procedure |
|--------------------------|---|-----------------------------------|

| | | |
|---|--|-------------------------------------|
| 4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80603 | 5. CONTRACTING REFERENCE 0008AC & Performance Spec Para 4.2.11 | 6. REQUIRING OFFICE see block 16 |
|---|--|-------------------------------------|

| | | | | |
|---------------------|------------------------------------|------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1Time | 12. DATE OF FIRST SUBMISSION see block 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION See Block 16 | a. ADDRESSEE |

| | |
|--|-----------|
| 16. REMARKS: Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083 Block 8, 12 and 13. Submit draft for government approval 60 days after DAC. award. The government has 30 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised draft shall be submitted no later than 30 days after government disapproval has been issued. | 15. TOTAL |
|--|-----------|

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

| | | |
|--------------------------|---|--------------------------------|
| 1. DATA ITEM NO. A004 | 2. TITLE OF DATA ITEM Test/Inspection Report | 3. SUBTITLE EMI Test Report |
|--------------------------|---|--------------------------------|

| | | |
|--|---|-----------------------------------|
| 4. AUTHORITY (Date Acquisition Document No.) DDINDTI-80809B | 5. CONTRACTING REFERENCE 0008AD & LPAP Perf. Spec para 4.2.11 | 6. REQUIRING OFFICE see blk 16 |
|--|---|-----------------------------------|

| | | | | |
|---------------------|------------------------------------|-------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1 time | 12. DATE OF FIRST SUBMISSION see blk 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE n/a | 13. DATE OF SUBSEQUENT SUBMISSION see blk 16 | a. ADDRESSEE |

| | |
|---|-----------|
| 16. REMARKS: Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083 Block 8, 12 and 13. Submit draft for government aproval 365 days ADO . The government has 30 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised dratt shall be sunbmitted no later than 30 days after government comments have been issued. | 15. TOTAL |
|---|-----------|

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

| | | | |
|---------------------------------|---------------------|--|---------------------|
| G. PREPARED BY: Daren E Ware | H. DATE 10/18/00 | I. APPROVED BY: J. Jeffery Grayhead | J. DATE 10/18/00 |
|---------------------------------|---------------------|--|---------------------|

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Listed in Block E.

| | | |
|---------------------------|-----------------|--|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT A | C. CATEGORY: TDP TM OTHER |
|---------------------------|-----------------|--|

| | | |
|--|--|---------------|
| D. SYSTEM/ITEM Low Pressure Air Plant | E. CONTRACT/PR NO. N65540-00-R-0077 | F. CONTRACTOR |
|--|--|---------------|

| | | |
|--------------------------|---|---|
| 1. DATA ITEM NO. A007 | 2. TITLE OF DATA ITEM Test Procedure | 3. SUBTITLE Vibration Test Procedure |
|--------------------------|---|---|

| | | |
|---|--|-----------------------------------|
| 4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80603 | 5. CONTRACTING REFERENCE 0008AG & Purch Spec Para 4.2.8 | 6. REQUIRING OFFICE see blk 16 |
|---|--|-----------------------------------|

| | | | | |
|---------------------|------------------------------------|-------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1 time | 12. DATE OF FIRST SUBMISSION see blk 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE n/a | 13. DATE OF SUBSEQUENT SUBMISSION see blk 16 | a. ADDRESSEE |

| | |
|---|-----------|
| 16. REMARKS: Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083 Block 8, 12 and 13. Submit draft for government approval 60 days after ADO. The government has 30 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised draft shall be submitted no later than 30 days after government disapproval has been issued. | 15. TOTAL |
|---|-----------|

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

| | | |
|--------------------------|---|--------------------------------------|
| 1. DATA ITEM NO. A008 | 2. TITLE OF DATA ITEM Test/Inspection Report | 3. SUBTITLE Vibration Test Report |
|--------------------------|---|--------------------------------------|

| | | |
|---|---|-----------------------------------|
| 4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80603 | 5. CONTRACTING REFERENCE 0008AH & Purchase Spec para 4.2.8 | 6. REQUIRING OFFICE see blk 16 |
|---|---|-----------------------------------|

| | | | | |
|---------------------|------------------------------------|-------------------------|--|------------------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED D | 10. FREQUENCY 1 time | 12. DATE OF FIRST SUBMISSION see blk 16 | 14. DISTRIBUTION |
| 8. APP CODE A | | 11. AS OF DATE n/a | 13. DATE OF SUBSEQUENT SUBMISSION see blk 16 | a. ADDRESSEE |

| | |
|---|-----------|
| 16. REMARKS: Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083 Block 8, 12 and 13. Submit draft for government aproval 365 ADO. The government has 45 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised dratt shall be sunbmitted no later than 30 days after government disapproval has been issued. | 15. TOTAL |
|---|-----------|

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

| | | | |
|---------------------------------|---------------------|---|---------------------|
| G. PREPARED BY: Dawn E. Ware | H. DATE 10/18/00 | I. APPROVED BY: J. Jeffrey Craighead | J. DATE 10/18/00 |
|---------------------------------|---------------------|---|---------------------|

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing contracting Officer for the Contract/PR No. Listed in Block E.

| | | | | |
|--|------------|--|----|---------------|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: | | |
| | | TDP | TM | OTHER |
| D. SYSTEM/ITEM Low Pressure Air Plant | | E. CONTRACT/PR NO. N65540-00-R-0077 | | F. CONTRACTOR |

| | | |
|------------------|----------------------------------|---------------------------------------|
| 1. DATA ITEM NO. | 2. TITLE OF DATA ITEM | 3. SUBTITLE |
| A009 | Logistics Management Information | Engineering Data For Provision (EDFP) |

| | | |
|--|--|--|
| 4. AUTHORITY (Date Acquisition Document No.) DI-ILSS-81530 | 5. CONTRACTING REFERENCE 0008AN & Purchase Spec 3.10 | 6. REQUIRING OFFICE See Block 16 |
|--|--|--|

| | | | | | | |
|----------------------------|---|---------------------------------|---|------------------|--------------|-----------|
| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED A/C | 10. FREQUENCY ONE | 12. DATE OF FIRST SUBMISSION SEE BLOCK 16 | 14. DISTRIBUTION | | |
| 8. APP CODE A | | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION SEE BLOCK 16 | a. ADDRESSEE | | b. COPIES |
| | | | | | Final | |
| | | | | | Reg Repro | |
| | | | | | Drafts | |

| | |
|---------------------------|--|
| 17. PRICE GROUP | |
| 18. ESTIMATED TOTAL PRICE | |

16. REMARKS:

Block 14: One copy of the drawings shall be in hard copy form, The Government will provide additional Guidance at the Provisioning Guidance Conference, if requested.

[illegible]

| | | | |
|---------------------------------|---------------------|--|---------------------|
| G. PREPARED BY: Dawn E. Ware | H. DATE 10/18/00 | I. APPROVED BY J. Jeffrey Craighead | J. DATE 10/18/00 |
|---------------------------------|---------------------|--|---------------------|

(2 Data Items)

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing contracting Officer for the Contract/PR No. Listed in Block E.

[illegible]

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

DD Form 1423-2, JUN 90
1059/183

Previous editions are obsolete

Page 7 of 12 Pages

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing contracting Officer for the Contract/PR No. Listed in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT A C. CATEGORY: TDP TM OTHER

D. SYSTEM/ITEM Low Pressure Air Plant E. CONTRACT/PR NO. N65540-00-R-0077 F. CONTRACTOR

1. DATA ITEM NO. A013 2. TITLE OF DATA ITEM Test/Inspection Report 3. SUBTITLE 40 Hour Production Unit Test Report

4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80809B 5. CONTRACTING REFERENCE Purchase Specification Para 4.2.12 and block 16 6. REQUIRING OFFICE NSWCCD 9214

7. DD 250 REQ DD 8. APP CODE A 9. DIST STATEMENT REQUIRED D 10. FREQUENCY Each Production Unit 11. AS OF DATE n/a 12. DATE OF FIRST SUBMISSION see block 16 13. DATE OF SUBSEQUENT SUBMISSION see block 16 14. DISTRIBUTION a. ADDRESSEE b. COPIES Drafts Reg Final Repro

16. REMARKS:
Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083.
Block 8, 12 and 13. Submit to government 150 ADO, for CLIN 0001, 0003, and 0005. The government has 45 days to approve or disapprove submitted draft for technical content and format. Approval copy of new/ revised draft shall be submitted no later than 30 days after government disapproval has been issued. Submit to government 200 ADO for CLIN 0007 and CLIN 0009
Block 5: and CLIN 0008AK, 0010AA, 0006AA, 0002AA and 0004AA.

9214
1
15. TOTAL

1. DATA ITEM NO. A014 2. TITLE OF DATA ITEM Test Procedure 3. SUBTITLE 40 Hour Production Unit Test procedure

4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80603 5. CONTRACTING REFERENCE Spec para 4.2.12 and CLIN 0008AJ 6. REQUIRING OFFICE NSWCCD 9214

7. DD 250 REQ DD 8. APP CODE A 9. DIST STATEMENT REQUIRED 10. FREQUENCY One time 11. AS OF DATE 12. DATE OF FIRST SUBMISSION see block 16 13. DATE OF SUBSEQUENT SUBMISSION see block 16 14. DISTRIBUTION a. ADDRESSEE b. COPIES Drafts Reg Final Repro

16. REMARKS:
Block 8, 12 and 16 : Submit draft for government approval 90 days after DAC. The government has 30 days to approve/disapprove the plan for technical content and format. Approval copy of new/revised draft shall be submitted no later than 30 days after government disapproval has been issued.

15. TOTAL

G. PREPARED BY: Dawn E. Ware H. DATE 10/18/00 I. APPROVED BY: J. Jeffrey Craighead J. DATE 10/18/00

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Listed in Block E.

| | | | | | |
|--|---|--|--|---|---------------------|
| A. CONTRACT LINE ITEM NO. | | B. EXHIBIT A | | C. CATEGORY: TDP TM OTHER | |
| D. SYSTEM/ITEM Low Pressure Air Plant | | E. CONTRACT/PR NO. N65540-00-R-0077 | | F. CONTRACTOR | |
| 1. DATA ITEM NO. A016 | 2. TITLE OF DATA ITEM Test/Inspection Report | | | 3. SUBTITLE Failure Malfunction Report | |
| 4. AUTHORITY (Date Acquisition Document No.) DI-NDTI-80809B | | 5. CONTRACTING REFERENCE Performance spec para 4.1.3.1.3.2 and block 16 | | 6. REQUIRING OFFICE | |
| 7. DD 250 REQ | 9. DIST STATEMENT REQUIRED | 10. FREQUENCY as required | 12. DATE OF FIRST SUBMISSION see block 16 | 14. DISTRIBUTION | |
| 8. APP CODE n/a | n/a | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION see block 16 | b. COPIES | |
| 16. REMARKS: Block 10: Whenever a failure or malfunction occurs Block 12 and 13: Submit report no later than 10 days after occurrence. Blocks 6 and 14: Naval Surface Warfare Center, Carderock Division, Ship System Engineering Station, 5001 South Broad Street, Code 9214, Phila PA 19112-5083 Block 5: and CLIN 0002AB, 0004AB, 0006AB, 0008AT and 0010AB | | | | a. ADDRESSEE | Final |
| | | | | Drafts | Reg Repro |
| | | | | nswecc 9214 | 1 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | 15. TOTAL | |
| G. PREPARED BY: Saum E. Ware | | H. DATE 10/18/00 | I. APPROVED BY: Jeffrey Craighead | | J. DATE 10/18/00 |

| |
|------------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

Form Approved
OMB No. 0704-0188

of 12 Pages

CONTRACT DATA REQUIREMENTS LIST

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing contracting Officer for the Contract/PR No. Listed in Block E.

| | | |
|--|--|--|
| A. CONTRACT LINE ITEM NO. | B. EXHIBIT | C. CATEGORY: TDP TM OTHER |
| D. SYSTEM/ITEM Low Pressure Air Plant | E. CONTRACT/PR NO. N65540-00-R-0077 | F. CONTRACTOR |

| | | |
|---------------------------------|---|---|
| 1. DATA ITEM NO. A018 | 2. TITLE OF DATA ITEM Logistics Management Information (LMI) Data Product | 3. SUBTITLE Component Identification Data (CID) |
|---------------------------------|---|---|

| | | |
|---|---|--|
| 4. AUTHORITY (Date Acquisition Document No.) DI-ALSS-81529 (see 16) | 5. CONTRACTING REFERENCE 0008AQ | 6. REQUIRING OFFICE Nswccd 9451 See Block 16 |
|---|---|--|

| 7. DD 250 REQ DD | 9. DIST STATEMENT REQUIRED C | 10. FREQUENCY one | 12. DATE OF FIRST SUBMISSION see block 16 | 14. DISTRIBUTION | | | | | | | | |
|----------------------------|--|-----------------------------|--|--|--------------|--|-----------|--|--|--|--------|-----------------------|
| 8. APP CODE A | | 11. AS OF DATE | 13. DATE OF SUBSEQUENT SUBMISSION see block 16 | <table border="1"> <tr> <th colspan="2">a. ADDRESSEE</th> <th colspan="2">b. COPIES</th> </tr> <tr> <th></th> <th></th> <th>Drafts</th> <th>Final Reg Repro</th> </tr> </table> | a. ADDRESSEE | | b. COPIES | | | | Drafts | Final Reg Repro |
| a. ADDRESSEE | | b. COPIES | | | | | | | | | | |
| | | Drafts | Final Reg Repro | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|------|---|---|--|------|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <p>16. REMARKS:</p> <p>Block 4: This data item shall be provided in accordance with the data requirements and format specified in LMI Worksheet attachments, which are attached to the LMI Worksheets, Attachment 7.</p> <p>Block 5: and CLIN 001</p> <p>Block 6 & 14. Naval Surface Warfare Center, Carderock Division Ship System Engineering Station, 5001 South Broad Street, Code 9214, Philadelphia PA. 19112-5083</p> <p>Block 8, . Approval shall be based on conformance with the LMI Worksheet attachment, attached herein. Government will provide notification of the SPS approval or disapproval 30 days after receipt of the SPS CID.</p> <p>Block 9: The following distribution statement applies: "Distribution Statement "C": "Distribution statement "C" : Distribution limited to US Government agencies and their contractors; administrative or operational use, dated 02 March 98. All other requests for this data item shall be referred to NSWC CD 94516</p> <p>Block 10: Whenever the determination is made that the required data has been previously provided to the government by another contract</p> <p>Block 12: If applicable, a SPS shall be submitted 30 days after contract award, The data shall be submitted 150 ADO or as negotiated and finalized at a Provisioning Guidance Conference (PGC)..</p> <p>Block 13: All Revisions shall be submitted within 60 days after approval of a change, or if approval is not required, within 60 days after incorporation of a change. inch disks, electronic mail or as agreed to in the PGC.</p> | <table border="1"> <tr> <td>9451</td> <td>1</td> <td>1</td> <td></td> </tr> <tr> <td>9214</td> <td>1</td> <td>1</td> <td></td> </tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> <tr><td> </td><td></td><td></td><td></td></tr> </table> | 9451 | 1 | 1 | | 9214 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9451 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9214 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15. TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| |
|---------------------------|
| 17. PRICE GROUP |
| 18. ESTIMATED TOTAL PRICE |

| | | | |
|--|----------------------------|--|----------------------------|
| G. PREPARED BY: <i>Lauren E. Ware</i> | H. DATE <i>10/18/00</i> | I. APPROVED BY: <i>J. Jeffrey Craighead</i> | J. DATE <i>10/18/00</i> |
|--|----------------------------|--|----------------------------|

CONTRACT DATA REQUIREMENTS LIST

(2 Data Items)

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 220 hours per response, including the time for reviewing instructions searching existing data sources gathering and maintaining the data needed and completing the reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington DC, Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Listed in Block E.

A. CONTRACT LINE ITEM NO.

B. EXHIBIT

C. CATEGORY:

TDP

TM

OTHER

D. SYSTEM/ITEM

Low Pressure Air Plant

E. CONTRACT/PR NO.

N65540-00-R-0077

F. CONTRACTOR

1. DATA ITEM NO.

A019

2. TITLE OF DATA ITEM

Commercial Off-the Shelf (COTS) Manual and Associated
Supplemental Data

3. SUBTITLE

17. PRICE GROUP

4. AUTHORITY (Date Acquisition Document No.)

DI-TMSS-80527A

5. CONTRACTING REFERENCE

spec para 6.4.2 and see block 16

6. REQUIRING OFFICE

NSWCCD 9214

18. ESTIMATED
TOTAL PRICE

7. DD 250 REQ

DD

9. DIST STATEMENT
REQUIRED

10. FREQUENCY

see block 16

12. DATE OF FIRST SUBMISSION

see block 16

14. DISTRIBUTION

8. APP CODE

11. AS OF DATE

13. DATE OF SUBSEQUENT
SUBMISSION

see block 16

a. ADDRESSEE

b. COPIES

Drafts

Final

Reg

Repro

16. REMARKS:

Blocks 6 and 14: Naval Surface Warfare Center, Carderock Division, Ship System
Engineering Station, 5001 South Broad Street, Code 9214, Phila PA 19112-5083

Block 8, 12 and 13. Submit draft for government approval 120 days after DAC.
The government has 90 days to approve/disapprove submitted for technical
content. Comments /changes made during maintenance demo should be
incorporated within 90 days of completion of demo. Government has 60 days to
approve or disapprove the revised draft comments.

Block 10 :Two manuals shall be shipped with each CLIN 0001, 0003,0005,0007
and 0009 purchased.

Block 5: and CLIN 0001,0003,0005,0007,0009

9214

1

2

1

Each delivery

2

15. TOTAL

1. DATA ITEM NO.

2. TITLE OF DATA ITEM

3. SUBTITLE

17. PRICE GROUP

4. AUTHORITY (Date Acquisition Document No.)

5. CONTRACTING REFERENCE

6. REQUIRING OFFICE

18. ESTIMATED
TOTAL PRICE

7. DD 250 REQ

9. DIST STATEMENT
REQUIRED

10. FREQUENCY

12. DATE OF FIRST SUBMISSION

14. DISTRIBUTION

8. APP CODE

11. AS OF DATE

13. DATE OF SUBSEQUENT
SUBMISSION

a. ADDRESSEE

b. COPIES

Drafts

Final

Reg

Repro

16. REMARKS:

15. TOTAL

G. PREPARED BY:

Dawn E. Ware

H. DATE

10/18/00

I. APPROVED BY

J. Jeffrey Craighead

J. DATE

10/19/00

DATA PRG T DELIVERABLE:

This worksheet is used to select data deemed necessary by the government. Data should be used to feed down stream government process.

| SELECT | EXPLANATION | |
|--------|-----------------------------|---|
| A | As applicable | N New "P" source code items |
| B | Packaging, Bulk Items | O "Ref" items only |
| C | COTS items | P All "P" source code items |
| D | Developmental Items | R Repairables only |
| E | Support Equipment | S SRA/SRU items |
| F | First appearance items only | T Registered Support Equipment Only |
| I | NDI items | U Non-Registered Support Equipment Only |
| L | LRU/WRA items | Y National Stock Number Items |
| M | Packaging, Common Items | X Data product required on all items |

NOTE: Other codes may be assigned by the program office as identified below. Program specific selections and explanations.

Z Unique to LSAR and ICAPS software. Not a part of Provisioning Data Product format or LMI Specification

(MIL-PRF-49506).

ATTACHMENT "7"

| | | A PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION | |
|------|---|------------------------|-----|------|------|------|-----|-------|----------------------------|--|
| DPDN | DATA PRODUCT TITLE | LTITL | PPL | ISIL | TTEL | BCPL | DCN | SUPPL | | |
| 0010 | ALLOWANCE ITEM CODE (AIC) | A | A | A | | | A | A | Record D, Block 50 | |
| 0020 | ALLOWANCE ITEM QUANTITY | A | A | A | | | A | A | Record D, Block 51 | |
| 0030 | ALTERNATE INDENTURED PRODUCT CODE (AIPC) | | | | | | | | | |
| | ALTERNATE IPC - UUT | | | | | | | | | |
| 0040 | AUTOMATIC DATA PROCESSING EQUIPMENT CODE | | | | | | | | Record B, Block 28 | |
| 0050 | BASIS OF ISSUE (BOI) | | | | | | | | Record J, Block 87 | |
| | QUANTITY AUTHORIZED (QTY-AUTH) | | | | | | | | | |
| | END ITEM | | | | | | | | | |
| | LEVEL | | | | | | | | | |
| | CONTROL | | | | | | | | | |
| 0060 | CALIBRATION AND MEASUREMENT REQUIREMENTS SUMMARY RECOMMENDED | | | | | | | | | |
| 0070 | CALIBRATION INTERVAL | | | | | | | | | |
| 0080 | CALIBRATION ITEM | | | | | | | | | |
| 0090 | CALIBRATION PROCEDURE | | | | | | | | | |
| 0100 | CALIBRATION REQUIRED | | | | | | | | | |
| 0110 | CALIBRATION TIME | | | | | | | | | |
| 0120 | CHANGE AUTHORITY NUMBER | | | | | | X | | Record F, Block 66 | |
| 0130 | CLEANING AND DRYING PROCEDURE | | | | | | | | | |
| 0140 | COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE | X | X | X | | | X | X | Record A, Block 5 | |
| | CAGE CODE - ADAPTER INTERCONNECTOR DEVICE | | | | | | | | | |
| | CAGE CODE - ARN | | | | | | | | Record A, CSN>001, Block 5 | |
| | CAGE CODE - ARN ITEM | | | | | | | | | |
| | CAGE CODE - ARTICLES REQUIRING SUPPORT | | | | | | | | | |
| | CAGE CODE - ATE | | | | | | | | | |
| | CAGE CODE - CATEGORY III SE | | | | | | | | | |
| | CAGE CODE - CTIC | | | | | | | | | |
| | CAGE CODE - PACKAGING DATA PREPARER | | | | | | | | | |
| | CAGE CODE - SUPPORT EQUIPMENT | | | | | | | | | |
| | CAGE CODE - TEST PROGRAM SET | | | | | | | | | |
| | CAGE CODE - UUT | | | | | | | | | |
| 0150 | CONTRACTOR FURNISHED EQUIPMENT/GOVERNMENT FURNISHED EQUIPMENT (CFE/GFE) | | | | | | | | | |

| DPDN | DATA PRODUCT TITLE | A. PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|-------------------------|-----|------|------|------|-----|------|------------------------|
| | | LT/TL | PPL | ISIL | TTTL | SCPL | DCN | SPLL | |
| 0160 | CONTRACTOR RECOMMENDED | | | | | | | | |
| | CONTRACTOR RECOMMENDED - DDCC | | | | | | | | |
| | CONTRACTOR RECOMMENDED - IRCC | | | | | | | | |
| 0170 | CONTRACTOR TECHNICAL INFORMATION CODE (CTIC) | | | | | | | | Record E, Block 61 |
| 0180 | CONTROLLED INVENTORY ITEM CODE | | | | | | | | Record B, Block 26 |
| 0190 | CRITICALITY CODE | | | | | | | | Record J, Block 88 |
| 0200 | CUSHIONING AND DUNNAGE MATERIAL CODE | | | | | | | | |
| 0210 | CUSHIONING THICKNESS | | | | | | | | |
| 0220 | DEGREE OF PROTECTION CODE | | | | | | | | |
| 0230 | DEMILITARIZATION CODE (DMIL) | A | A | A | | | A | A | Record B, Block 23 |
| 0240 | DESCRIPTION/FUNCTION AND CHARACTERISTICS OF SUPPORT EQUIPMENT | | | | | | | | |
| 0250 | DESIGN DATA CATEGORY CODE | | | | | | | | |
| 0260 | DESIGN DATA PRICE | | | | | | | | |
| 0270 | END ITEM ACRONYM CODE (EIAC) | | | | | | | | |
| 0280 | ESSENTIALITY CODE | X | X | X | | | X | X | Record A, Block 11 |
| 0290 | ESTIMATED PRICE | X | X | X | | | X | X | |
| | ESTIMATED PRICE - DDCC | | | | | | | | |
| | ESTIMATED PRICE - IRCC | | | | | | | | |
| 0300 | FIGURE NUMBER | | | | | | | | Record J, Block 81 |
| 0310 | FRAGILITY FACTOR | | | | | | | | |
| 0320 | FUNCTIONAL ANALYSIS | | | | | | | | |
| 0330 | FUNCTIONAL GROUP CODE | | | | | | | | |
| 0340 | HARDNESS CRITICAL ITEM (HCI) | | | | | | | | Record B, Block 25 |
| 0350 | HARDWARE DEVELOPMENT PRICE | | | | | | | | |
| 0360 | HAZARDOUS CODE | | | | | | | | |
| 0370 | INDENTURE CODE | A | A | A | | | A | A | Record A, Block 4 |
| | ATTACHING PART/HARDWARE | | | | | | | | |
| | OPTION 1 | | | | | | | | |
| | OPTION 2 | | | | | | | | |
| | OPTION 3 | | | | | | | | |
| | OPTION 4 | | | | | | | | |
| | OPTION 5 | | | | | | | | |

ATTACHMENT "7"

| DPDN | DATA PRODUCT TITLE | A PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|------------------------|-----|------|------|------|-----|-------|--|
| | | LRTIL | PPL | ISIL | TTEL | BCPL | DCN | SLPPL | |
| | INDENTURE FOR KITS | | | | | | | | |
| | OPTION 1 | | | | | | | | |
| | OPTION 2 | | | | | | | | |
| | OPTION 3 | | | | | | | | |
| | INDENTURE CODE - IPC | | | | | | | | |
| 0380 | INDENTURED PRODUCT CODE (IPC) | | | | | | | | Record H, Block 77. Change Field Length to 18X |
| | INDENTURED PRODUCT CODE (IPC) - UUT | | | | | | | | |
| 0390 | INPUT POWER SOURCE | | | | | | | | |
| | OPERATING RANGE - MINIMUM | | | | | | | | |
| | OPERATING RANGE - MAXIMUM | | | | | | | | |
| | ALTERNATING CURRENT/DIRECT CURRENT | | | | | | | | |
| | FREQUENCY RANGE - MINIMUM | | | | | | | | |
| | FREQUENCY RANGE - MAXIMUM | | | | | | | | |
| | PHASE | | | | | | | | |
| | WATTS | | | | | | | | |
| | PERCENT MAXIMUM RIPPLE | | | | | | | | |
| 0400 | INSTALLATION FACTORS OR OTHER FACILITIES | | | | | | | | |
| 0410 | INTEGRATED LOGISTIC SUPPORT PRICE | | | | | | | | |
| 0420 | INTEGRATED LOGISTIC SUPPORT REQUIREMENTS CATEGORY CODE | | | | | | | | |
| 0430 | INTERCHANGEABILITY CODE | | | | | | A | | Record F, Block 67, Part Number Adds, Changes, and Deletes |
| 0440 | INTERMEDIATE CONTAINER CODE | | | | | | | | |
| 0450 | INTERMEDIATE CONTAINER QUANTITY | | | | | | | | |
| 0460 | ITEM CATEGORY CODE (ICC) | | | | | | | | |
| 0470 | ITEM DESIGNATOR CODE | | | | | | | | Header Block |
| | ITEM DESIGNATOR - END ARTICLE | | | | | | | | |
| | ITEM DESIGNATOR - GOVERNMENT | | | | | | | | |
| 0480 | ITEM NAME | X | X | X | | | X | X | Record A, Block 12. Change Filed Length to 19X |
| | ITEM NAME - ARTICLE REQUIRING SUPPORT | | | | | | | | |
| | ITEM NAME - SE | | | | | | | | |

ATTACHMENT "7"

| DPDN | L. A. PRODUCT TITLE | F. V. PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|----------------------------|-----|------|------|------|-----|-------|------------------------|
| | | LTITL | PPL | SITL | TTEL | SCPL | DCN | SLPPL | |
| 0490 | ITEM NAME CODE | | | | | | | | Record J, Block 89 |
| 0500 | ITEM NUMBER | | | | | | | | Record J, Block 82 |
| 0510 | JULIAN DATE - SPI NUMBER | | | | | | | | |
| 0520 | LINE REPLACEABLE UNIT (LRU) | | | | | | | | Record J, Block 90 |
| 0530 | LOT QUANTITY | | | | | | | | |
| | FROM | | | | | | | | |
| | TO | | | | | | | | |
| 0540 | MAINTENANCE ACTION CODE (MAC) | | | | | | | | Record C, Block 41 |
| 0550 | MAINTENANCE REPLACEMENT FACTOR (MRF) | | | | | | | | |
| | MRF - DEPOT LEVEL REPAIRABLES | | | | | | | | |
| | MRF - FIELD LEVEL REPAIRABLES | | | | | | | | |
| | MRF - CONSUMABLES | | | | | | | | |
| 0560 | MAINTENANCE REPLACEMENT RATE I (MRR1) | | | | | | | | Record C, Block 34 |
| 0570 | MAINTENANCE REPLACEMENT RATE II (MRR2) | | | | | | | | Record C, Block 35 |
| | OPTION 1 | | | | | | | | |
| | OPTION 2 | | | | | | | | |
| 0580 | MAINTENANCE TASK DISTRIBUTION | | | | | | | | Record E, Block 57 |
| 0590 | MATERIAL | | | | | | | | Record M, Block 92 |
| 0600 | MATERIAL LEADTIME | | | | | | | | |
| 0610 | MATERIAL WEIGHT | | | | | | | | |
| 0620 | MAXIMUM ALLOWABLE OPERATING TIME (MAOT) | | | | | | | | Record C, Block 40 |
| 0630 | MEAN TIME BETWEEN FAILURES (MTBF) | X | X | X | | | X | X | |
| | MEAN TIME BETWEEN FAILURES (MTBF)-SUPPORT EQUIPMENT | | | | | | | | |
| 0640 | MEAN TIME TO REPAIR (MTTR) | | | | | | | | |
| | MEAN TIME TO REPAIR (MTTR) - SE | | | | | | | | |
| 0650 | MEASUREMENT BASE (MB) | | | | | | | | |
| | MEASUREMENT BASE - MEAN TIME BETWEEN FAILURES | | | | | | | | |
| | MEASUREMENT BASE - MEAN TIME BETWEEN FAILURES - SUPPORT EQUIPMENT | | | | | | | | |
| | MEASUREMENT BASE - WEAROUT LIFE | | | | | | | | |
| 0660 | METHOD OF PRESERVATION | | | | | | | | |

ATTACHMENT "7"

| DPDN | DATA PRODUCT TITLE | A. PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|--|-------------------------|-----|------|------|------|-----|-------|--|
| | | LTFTL | PPL | ISIL | TTEL | BCPL | DCN | SLPPL | |
| 0670 | MOBILE FACILITY CODE | | | | | | | | |
| 0680 | NATIONAL STOCK NUMBER AND RELATED DATA | A | A | A | | | A | A | Record B, Block 15, Required if Contract Option is exercised |
| | COGNIZANCE CODE | A | A | A | | | A | A | |
| | MATERIEL CONTROL CODE | A | A | A | | | A | A | |
| | FEDERAL SUPPLY CLASSIFICATION | A | A | A | | | A | A | |
| | NATIONAL ITEM IDENTIFICATION NUMBER | A | A | A | | | A | A | |
| | NATIONAL STOCK NUMBER - CONTAINER | | | | | | | | |
| | FEDERAL SUPPLY CLASSIFICATION | | | | | | | | |
| | NATIONAL ITEM IDENTIFICATION NUMBER | | | | | | | | |
| | SPECIAL MATERIEL IDENTIFICATION CODE/ MATERIEL MANAGEMENT AGGREGATION CODE | A | A | A | | | A | A | |
| | ACTIVITY CODE | | | | | | | | |
| 0690 | NEXT HIGHER ASSEMBLY PROVISIONING LIST ITEM SEQUENCE NUMBER (NHA PLISN) | X | X | X | | | X | X | Record C, Block 29, Automatically assigned by ICAPS |
| 0700 | NEXT HIGHER ASSEMBLY PROVISIONING LIST ITEM SEQUENCE NUMBER INDICATOR (NHA IND) | | | | | | | | Record C, Block 30 |
| 0710 | NOT REPARABLE THIS STATION (NRTS) | | | | | | | | Record C, Block 42 |
| 0720 | OPERATOR'S MANUAL | | | | | | | | |
| 0730 | OPTIONAL PROCEDURE INDICATOR | | | | | | | | |
| 0740 | OVERHAUL REPLACEMENT RATE (ORR) | | | | | | | | Record C, Block 31 |
| 0750 | PACKAGING CATEGORY CODE | | | | | | | | |
| 0760 | PACKING CODE | | | | | | | | |
| 0770 | PARAMETERS | | | | | | | | |
| | INPUT/OUTPUT CODE - CATEGORY III SE | | | | | | | | |
| | PARAMETER - CATEGORY III SE | | | | | | | | |
| | RANGE FROM - CATEGORY III SE | | | | | | | | |
| | RANGE TO - CATEGORY III SE | | | | | | | | |
| | ACCURACY - CATEGORY III SE | | | | | | | | |
| | RANGE/VALUE CODE - CATEGORY III SE | | | | | | | | |
| | INPUT/OUTPUT CODE - SUPPORT EQUIPMENT | | | | | | | | |
| | PARAMETER - SUPPORT EQUIPMENT | | | | | | | | |

ATTACHMENT "7"

| DPDN | DATA PRODUCT TITLE | A. PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|--|-------------------------|-----|------|-------|------|-----|-------|---|
| | | LTITL | PPL | ISIL | TTSEL | SCPL | DCN | BLPPL | |
| | RANGE FROM - SUPPORT EQUIPMENT | | | | | | | | |
| | RANGE TO - SUPPORT EQUIPMENT | | | | | | | | |
| | ACCURACY - SUPPORT EQUIPMENT | | | | | | | | |
| | RANGE/VALUE CODE - SUPPORT EQUIPMENT | | | | | | | | |
| | INPUT/OUTPUT CODE - UUT | | | | | | | | |
| | PARAMETER - UUT | | | | | | | | |
| | RANGE FROM - UUT | | | | | | | | |
| | RANGE TO - UUT | | | | | | | | |
| | ACCURACY - UUT | | | | | | | | |
| | RANGE/VALUE CODE - UUT | | | | | | | | |
| | OPERATIONAL/SPECIFICATION PARAMETER | | | | | | | | |
| 0780 | PASS THROUGH PRICE | | | | | | | | |
| 0790 | PRECIOUS METAL INDICATOR CODE (PMIC) | A | A | A | | | A | A | Record B, Block 27 |
| 0800 | PREPARING ACTIVITY | | | | | | | | |
| 0810 | PRESERVATION MATERIAL CODE | | | | | | | | |
| 0820 | PRIOR ITEM PROVISIONING LIST ITEM SEQUENCE NUMBER (PRIOR ITEM PLISN) | X | X | X | | | X | X | Record C, Block 39, Automatically assigned by ICAPS |
| 0830 | PRODUCTION LEAD TIME (PLT) | A | A | A | | | A | A | Record B, Block 24 |
| 0840 | PROGRAM PARTS SELECTION LIST (PPSL) | | | | | | | | Record A, Block 10 |
| 0850 | PRORATED EXHIBIT LINE ITEM NUMBER (PRORATED ELIN) | | | | | | | | Record G, Block 75 |
| 0860 | PRORATED ELIN QUANTITY | | | | | | | | Record G, Block 76 |
| 0870 | PROVISIONING CONTRACT CONTROL NUMBER (PCCN) | X | X | X | | | X | X | Records A through M, Block 1 |
| 0880 | PROVISIONING LIST CATEGORY CODE (PLCC) | | | | | | | | Record D, Block 48 |
| 0890 | PROVISIONING LIST ITEM SEQUENCE NUMBER (PLISN) | X | X | X | | | X | X | Records A through M, Block 2 |
| 0900 | PROVISIONING NOMENCLATURE | A | A | A | | | A | A | Record K, Block 91, Change Field length to 42X |
| 0910 | PROVISIONING PRICE CODE | | | | | | | | |
| 0920 | PROVISIONING REMARKS | | | | | | | | Record H, Block 79, Change Field length to 65X |
| 0930 | QUANTITY PER ASSEMBLY (QPA) | X | X | X | | | X | X | Record C, Block 32 |
| | OPTION 1 | X | X | X | | | X | X | |

LMI WORKSHEET

| | | A. PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|-------------------------|-----|------|------|------|-----|-------|---|
| DPDN | DATA PRODUCT TITLE | LTITL | PPL | ISIL | TTEL | BCPL | DCN | SLPPL | |
| | OPTION 2 | | | | | | | | |
| | OPTION 3 | | | | | | | | |
| 0940 | QUANTITY PER ASSEMBLY/QUANTITY PER END ITEM INDICATOR | | | | | | | | |
| 0950 | QUANTITY PER END ITEM (QPEI) | X | X | X | | | X | X | Record C, Block 33 |
| | OPTION 1 | X | X | X | | | X | X | |
| | OPTION 2 | | | | | | | | |
| | OPTION 3 | | | | | | | | |
| 0960 | QUANTITY PER FIGURE | | | | | | | | Record J, Block 85 |
| 0970 | QUANTITY PER TEST | | | | | | | | |
| 0980 | QUANTITY PER UNIT PACK | | | | | | | | Record B, Block 21 |
| 0990 | QUANTITY PROCURED | | | | | | | | Record F, Block 73 |
| 1000 | QUANTITY SHIPPED | | | | | | | | Record F, Block 72 |
| 1010 | RECOMMENDED MINIMUM SYSTEM STOCK LEVEL | | | | | | | | Record D, Block 53 |
| 1020 | RECURRING COST | | | | | | | | |
| 1030 | REFERENCE DESIGNATION | A | A | A | | | A | A | Record D, Block 44, Change Field Length to 29X |
| | OPTION 1 | A | A | A | | | A | A | Required for Electronic Items having Circuit Symbol Numbers |
| | OPTION 2 | | | | | | | | |
| | OPTION 3 | | | | | | | | |
| | OPTION 4 | | | | | | | | |
| | OPTION 5 | | | | | | | | |
| 1040 | REFERENCE DESIGNATION CODE (RDC) | A | A | A | | | A | A | Record D, Block 46 |
| 1050 | REFERENCE NUMBER | X | X | X | | | X | X | Record A, Block 6 |
| | REFERENCE NUMBER - AID | | | | | | | | |
| | REFERENCE NUMBER - ARN ITEM | | | | | | | | |
| | REFERENCE NUMBER - ARTICLES REQUIRING SUPPORT | | | | | | | | |
| | REFERENCE NUMBER - AUTOMATIC TEST EQUIPMENT | | | | | | | | |
| | REFERENCE NUMBER - CATEGORY III SE | | | | | | | | |
| | REFERENCE NUMBER - SUPPORT EQUIPMENT | | | | | | | | |

ATTACHMENT "7"

| DPDN | DATA PRODUCT TITLE | PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|--|----------------------|-----|------|------|------|-----|------|---|
| | | LTITL | PPL | ISIL | TTEL | BCPL | DCN | SUPL | |
| | REFERENCE NUMBER - TPS | | | | | | | | |
| | REFERENCE NUMBER - UUT | | | | | | | | |
| | REFERENCE NUMBER (ARN) - ADDITIONAL | | | | | | | | Record A, Block 6, CSN>001 |
| 1060 | REFERENCE NUMBER CATEGORY CODE (RNCC) | X | X | X | | | X | X | Record A, Block 7 |
| | REFERENCE NUMBER CATEGORY CODE - ARN | A | A | A | | | A | A | |
| 1070 | REFERENCE NUMBER VARIATION CODE (RNVC) | X | X | X | | | X | X | Record A, Block 8 |
| | REFERENCE NUMBER VARIATION CODE - ARN | A | A | A | | | A | A | |
| 1080 | REPAIR CYCLE TIME | | | | | | | | Record E, Block 58 |
| | OPTION 1 | | | | | | | | |
| | OPTION 2 | | | | | | | | |
| 1090 | REPLACED OR SUPERSEDING PROVISIONING LIST ITEM SEQUENCE NUMBER | | | | | | | | Record F, Block 70 |
| 1100 | REPLACED OR SUPERSEDING PROVISIONING LIST ITEM SEQUENCE NUMBER INDICATOR (RS/IND) | | | | | | | | Record F, Block 71 |
| 1110 | REPLACEMENT TASK DISTRIBUTION | | | | | | | | Record E, Block 59 |
| 1120 | REVISION | | | | | | | | |
| | REVISION - SERD | | | | | | | | |
| 1130 | REWORK REMOVAL RATE (RRR) | | | | | | | | |
| 1140 | ROTATABLE POOL FACTOR (RPF) | | | | | | | | |
| 1150 | SAME AS PROVISIONING LIST ITEM SEQUENCE NUMBER (SAME AS PLISN) | X | X | X | | | X | X | Record G, Block 38, Automatically assigned by ICAPS |
| 1160 | SCOPE | | | | | | | | |
| | SCOPE - DDCC | | | | | | | | |
| | SCOPE - IRCC | | | | | | | | |
| 1170 | SERIAL NUMBER EFFECTIVITY | | | | | | | | Record F, Block 68 |
| | SERIAL NUMBER EFFECTIVITY - FROM | | | | | | | | |
| | SERIAL NUMBER EFFECTIVITY - TO | | | | | | | | |
| 1180 | SERVICE DESIGNATOR CODE (SER) | | | | | | | | |
| | SERVICE DESIGNATOR CODE - SB | | | | | | | | |
| | SERVICE DESIGNATOR CODE - USING | | | | | | | | |
| 1190 | SHELF LIFE (SL) | A | A | A | | | A | A | Record A, Block 13. Required when Source Code = PC |

ATTACHMENT "7"

| DPDN | DATA PRODUCT TITLE | 1 PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|------------------------|-----|-------|------|------|-----|-------|---|
| | | LTITL | PPL | ISITL | TTEL | BCPL | DCN | SLPPL | |
| 1200 | SHELF LIFE ACTION CODE (SLAC) | A | A | A | | | A | A | Record A, Block 14, Required when there is a Shelf Life |
| 1210 | SKILL SPECIALTY CODE FOR SUPPORT EQUIPMENT OPERATOR | | | | | | | | |
| 1220 | SOURCE, MAINTENANCE AND RECOVERABILITY (SMR) CODE | A | A | A | | | A | A | Record B, Block 22 |
| | SOURCE, MAINTENANCE AND RECOVERABILITY CODE - SE | | | | | | | | |
| 1230 | SPARES ACQUISITION INTEGRATED WITH PRODUCTION (SAIP) | | | | | | | | |
| 1240 | SPECIAL MAINTENANCE ITEM CODE (SMIC) | | | | | | | | Record D, Block 49 |
| 1250 | SPECIAL MARKING CODE | | | | | | | | |
| 1260 | SPECIAL MATERIAL CONTENT CODE (SMCC) | | | | | | | | |
| 1270 | SPECIAL PACKAGING INSTRUCTION NUMBER | | | | | | | | |
| 1280 | SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER REVISION | | | | | | | | |
| 1290 | SUPPLEMENTAL PACKAGING DATA | | | | | | | | |
| 1300 | SUPPORT EQUIPMENT DIMENSIONS | | | | | | | | |
| | SE DIMENSIONS OPERATING | | | | | | | | |
| | LENGTH | | | | | | | | |
| | WIDTH | | | | | | | | |
| | HEIGHT | | | | | | | | |
| | SE DIMENSIONS SHIPPING | | | | | | | | |
| | LENGTH | | | | | | | | |
| | WIDTH | | | | | | | | |
| | HEIGHT | | | | | | | | |
| | SE DIMENSIONS STORAGE | | | | | | | | |
| | LENGTH | | | | | | | | |
| | WIDTH | | | | | | | | |
| | HEIGHT | | | | | | | | |
| 1310 | SUPPORT EQUIPMENT EXPLANATION | | | | | | | | |
| 1320 | SUPPORT EQUIPMENT RECOMMENDATION DATA NUMBER (SERD NUMBER) | | | | | | | | |
| 1330 | SUPPORT EQUIPMENT RECOMMENDATION DATA | | | | | | | | |

| DPDN | DATA PRODUCT TITLE | REVISION/SUPERSEDE REMARKS | PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|--|----------------------------|----------------------|-----|------|------|------|-----|-------|--|
| | | | LITTL | PPL | ISIL | TTTL | SCPL | DCN | BLPPL | |
| 1340 | SUPPORT EQUIPMENT WEIGHT | | | | | | | | | |
| | SUPPORT EQUIPMENT WEIGHT - OPERATING | | | | | | | | | |
| | SUPPORT EQUIPMENT WEIGHT - SHIPPING | | | | | | | | | |
| | SUPPORT EQUIPMENT WEIGHT - STORAGE | | | | | | | | | |
| 1350 | TECHNICAL MANUAL CHANGE NUMBER (TM CHG) | | | | | | | | | Record J, Block 83 |
| 1360 | TECHNICAL MANUAL INDENTURE CODE (TM IND) | | | | | | | | | Record J, Block 84 |
| 1370 | TECHNICAL MANUAL NUMBER | | | | | | | | | |
| 1380 | TEST ACCURACY RATIO (TAR) | | | | | | | | | |
| | TEST ACCURACY RATIO - CATEGORY III SE | | | | | | | | | |
| | TEST ACCURACY RATIO - UUT PARAMETER | | | | | | | | | |
| 1390 | TOTAL ITEM CHANGES (TIC) | | | | | | | | | Record F, Block 69 |
| 1400 | TOTAL QUANTITY RECOMMENDED | | | | | | | | | Record C, Block 37 |
| 1410 | TYPE EQUIPMENT CODE | | | | | | | | | |
| 1420 | TYPE OF CHANGE CODE (TOCC) | A | A | A | | | | A | A | Record A, Block 3 |
| 1430 | TYPE OF PRICE CODE | | | | | | | | | |
| 1440 | TYPE OF STORAGE CODE | | | | | | | | | |
| 1450 | UNIT CONTAINER CODE | | | | | | | | | |
| 1460 | UNIT CONTAINER LEVEL | | | | | | | | | |
| 1470 | UNIT OF ISSUE (UI) | X | X | X | | | | X | X | Record B, Block 18 |
| 1480 | UNIT OF ISSUE CONVERSION FACTOR (UI CONVERSION FACTOR) | A | A | A | | | | A | A | Record B, Block 20, Required if UI not equal to EA |
| 1490 | UNIT OF ISSUE/UNIT OF MEASURE CODE | A | A | A | | | | A | A | |
| 1500 | UNIT OF ISSUE/UNIT OF MEASURE PRICE (UI/UM PRICE) | A | A | A | | | | A | A | Record B, Unit of Issue Price=Block 19, Unit of Measure Price=Block 17 (only if UM is assigned). |
| 1510 | UNIT OF MEASURE (UM) | A | A | A | | | | A | A | Record B, Block 16. Guidance for assignment provided at PGC. |
| | UNIT OF MEASURE - SE DIMENSIONS OPERATING | | | | | | | | | |
| | UNIT OF MEASURE - SE WEIGHT OPERATING | | | | | | | | | |
| | UNIT OF MEASURE - SE DIMENSIONS STORAGE | | | | | | | | | |
| | UNIT OF MEASURE - SE WEIGHT STORAGE | | | | | | | | | |

ATTACHMENT "7"

| DEPN | DATA PRODUCT TITLE | A PRODUCT DELIVERABLES | | | | | | | ADDITIONAL INFORMATION |
|------|---|------------------------|-----|------|------|------|-----|-------|------------------------|
| | | LTITL | PPL | ISIL | TTEL | SCPL | DCN | BLPPL | |
| | UNIT OF MEASURE - SE DIMENSIONS SHIPPING | | | | | | | | |
| | UNIT OF MEASURE - SE WEIGHT SHIPPING | | | | | | | | |
| 1520 | UNIT PACK CUBE | | | | | | | | |
| 1530 | UNIT SIZE | | | | | | | | |
| | UNIT SIZE - LENGTH | | | | | | | | |
| | UNIT SIZE - WIDTH | | | | | | | | |
| | UNIT SIZE - HEIGHT | | | | | | | | |
| | UNIT SIZE - PACK LENGTH | | | | | | | | |
| | UNIT SIZE - PACK WIDTH | | | | | | | | |
| | UNIT SIZE - PACK DEPTH | | | | | | | | |
| 1540 | UNIT UNDER TEST EXPLANATION | | | | | | | | |
| 1550 | UNIT WEIGHT | | | | | | | | |
| | UNIT WEIGHT - PACK | | | | | | | | |
| 1560 | USABLE ON CODE (UCC) | | | | | | A | | Record D, Block 43 |
| | USABLE ON CODE - DESIGN CHANGE | | | | | | A | | |
| | USABLE ON CODE - SUPPORT EQUIPMENT | | | | | | | | |
| 1570 | WEAROUT LIFE | | | | | | | | |
| 1580 | WORK UNIT CODE | | | | | | | | Record J, Block 86 |
| | WORK UNIT CODE - ARTICLES REQUIRING SUPPORT | | | | | | | | |
| 1590 | WRAPPING MATERIAL | | | | | | | | |

ATTACHMENT "7"

SUPPLEMENTAL PROVING DATA PRODUCTS*

| | | DATA PRODUCT DELIVERABLES | | | | | | | | ADDITIONAL INFORMATION |
|-------|---------------------------------------|---------------------------|-----|------|------|------|-----|-------|---|------------------------|
| BDPDN | DATA PRODUCT TITLE | LTITL | PPL | ISIL | TTEL | SCPL | DCN | SLPPL | | |
| S001 | DOCUMENT AVAILABILITY CODE | | | | | | | | Record A, Block 9 | |
| S002 | MINIMUM REPLACEMENT UNIT (MRU) | X | X | X | | | X | X | Record D, Block 52 | |
| S003 | RECOMMENDED INITIAL SYSTEM STOCK BUY | | | | | | | | Record D, Block 54 | |
| S004 | RECOMMENDED TENDER LOAD LIST QUANTITY | | | | | | | | Record D, Block 55 | |
| S005 | REPAIR SURVIVAL RATE (RSR) | | | | | | | | Record D, Block 56, Required when Recoverability=D or K | |
| S006 | DESIGNATED REMORK POINT (DRP) | A | A | A | | | A | A | Record E, Block 60, Required when Recoverability=D or K | |
| S007 | ACQUISITION METHOD CODE (AMC) | | | | | | | | Record E, Block 62 | |
| S008 | ACQUISITION METHOD SUFFIX CODE (AMSC) | | | | | | | | Record E, Block 63 | |
| S009 | ITEM MANAGEMENT CODE (IMC) | | | | | | | | Record E, Block 64 | |
| S010 | REMAIN IN PLACE (RIP) | | | | | | | | Record E, Block 65, Required when Recoverability=D or K | |
| S011 | MAINTENANCE REPLACEMENT RATE MODIFIER | | | | | | | | Record C, Block 36 | |
| S012 | REFERENCE DESIGNATION OVERFLOW CODE | A | A | A | | | A | A | Record D, Block 45 | |
| S013 | DESIGN CHANGE NOTICE USABLE ON CODE | | | | | | A | | Record F, Block 74 | |
| S014 | ALTERNATE LCN | | | | | | | | Record H, Block 78 | |
| S015 | TECHNICAL MANUAL CODE (TMC) | | | | | | | | Record J, Block 80 | |

These Supplemental Data Products are not in the LMI Specification. See Attachment I to this LMI Worksheet for definitions and format requirements.

COMPONENT IDENTIFICATION DATA (ID) DATA PRODUCT DELIVERABLES*

| SDPDN | | DATA PRODUCT TITLE | DATA PRODUCT DELIVERABLES | | | | | | | | | | | ADDITIONAL INFORMATION |
|--|------|--|---------------------------|-----|------|------|------|-----|-------|-----|--|--|--|------------------------|
| SECTION A: HEADER DATA | | | LTITL | PPL | ISIL | TTEL | SCPL | DCN | SLPPL | SPS | | | | |
| | 0870 | PROVISIONING CONTRACT CONTROL NUMBER (PCCN) | X | X | X | | | X | X | X | | | | |
| | 5016 | ORDER NUMBER (PIIN/SPIN) | X | X | X | | | X | X | X | | | | |
| | 0480 | COMPONENT NAME | X | X | X | | | X | | X | | | | |
| | 1050 | MODEL/TYPE NO. | X | X | X | | | X | | X | | | | |
| | 5017 | CONTROL DATA | X | X | X | | | X | X | X | | | | |
| | 5018 | COMPONENT APL/AEL NUMBER | | | | | | | A | X | | | | |
| | 0140 | PRIME COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE | X | X | X | | | X | | X | | | | |
| SECTION B: COMPONENT CHARACTERISTICS FILE (CCF) DATA | | | | | | | | | | | | | | |
| | 5019 | MANUFACTURED BY: | X | X | X | | | X | | X | | | | |
| | 1050 | NAVAL COMMAND'S DRAWING NUMBER | A | A | A | | | A | | A | | | | |
| | 1050 | MANUFACTURER'S DRAWING NUMBER | X | X | X | | | X | | X | | | | |
| | 1050 | MODEL/TYPE NO. | X | X | X | | | X | | X | | | | |
| | 1050 | EQUIPMENT SPECIFICATION | A | A | A | | | A | | A | | | | |
| | 0680 | NATIONAL STOCK NUMBER (NSN) OR NAVY ITEM CONTROL NUMBER (NICN) | A | A | A | | | A | | A | | | | |
| | 5020 | TECHNICAL CODING SOURCE | | | | | | | X | | | | | |
| | 0140 | COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE | X | X | X | | | X | | X | | | | |
| | 5021 | CHARACTERISTICS DATA | | X | X | | | X | | | | | | |
| | 5022 | CCF NOTES | | | | | | | | | | | | |
| | 1370 | TECHNICAL MANUAL NUMBER | A | A | A | | | A | | A | | | | |
| | 1050 | CERTIFICATION DATA SHEET NO. | A | A | A | | | A | | A | | | | |
| SECTION C: APPLICATION DATA | | | | | | | | | | | | | | |
| | 5023 | NEXT HIGHER ASSEMBLY (NHA) | A | A | A | | | A | | A | | | | |
| | 5024 | NEXT LOWER ASSEMBLY (NLA) | | A | A | | | A | | A | | | | |
| | 5025 | NAVY HULL NOS./ACTIVITY UNIT IDENTIFICATION CODE (UIC) | A | A | A | | | A | A | A | | | | |
| | 5026 | NO. OF COMPONENTS | X | X | X | | | X | | X | | | | |
| | 5027 | SERVICE APPLICATION DATA | X | X | X | | | X | X | X | | | | |
| SECTION D: CERTIFICATION DATA | | | | | | | | | | | | | | |

ATTACHMENT "7"

| | | ATA PRODUCT DELIVERABLES | | | | | | | | | | | |
|-------|---|--------------------------|-----|------|------|------|-----|-------|-----|------------------------|--|--|--|
| SDPDN | DATA PRODUCT TITLE | LT/TL | PPL | ISIL | TTEL | SCPL | DCN | SLPPL | SPS | ADDITIONAL INFORMATION | | | |
| S028 | NAME | X | X | X | | | X | X | X | | | | |
| S028 | ORGANIZATION/CODE | X | X | X | | | X | X | X | | | | |
| S028 | PHONE | X | X | X | | | X | X | X | | | | |
| | SECTION E: STATEMENT OF PRIOR SUBMISSION (SPS) | | | | | | | | | | | | |
| S029 | SPS PREVIOUS ORDER NUMBER | | | | | | | | X | | | | |
| S030 | PROVISIONING ACTIVITY RECEIVING PREVIOUS PTD: | | | | | | | | X | | | | |
| 0680 | NATIONAL STOCK NUMBER (NSN) OR NAVY ITEM CONTROL NUMBER (NICN) | | | | | | | | X | | | | |
| S031 | ELECTRICAL, MECHANICAL, PHYSICAL, AND DIMENSIONAL DATA: | | | | | | | | X | | | | |
| S032 | NUMBER OF PERCENT OF CHANGES TO UPDATE PTD TO NEW CONFIGURATION | | | | | | | | X | | | | |
| S033 | BRIEF DESCRIPTION OF CHANGES | | | | | | | | X | | | | |

Note: The Supplemental Data Products (those with a prefix "S") are not in the LMI Specification. See Attachment 2 to this LMI Worksheet for definitions and format requirements for CID.

LMI WORKSHEET ATTACHMENT 1
Navy's LMI Supplemental Direction For Provisioning
Data Products And Deliverables, Format And Media

1. Information contained herein describes the specifications for submission of Provisioning Data Product Deliverables (DPDs) format and media to the Government's Automated Provisioning System called Interactive Computer Aided Provisioning System (ICAPS). Strict adherence to these instructions must be applied to ensure that provisioning data is accepted by ICAPS. This document also contains instructions for other provisioning related deliverables and tasks.

2. ICAPS was developed by the government for the purpose of developing and transmitting provisioning related data. It is available free of charge to contractor personnel as well as government agencies. Contractors are encouraged to take advantage of the opportunity to utilize this software which would eliminate any concern about compatibility of the contractor's system with ICAPS. Two versions of ICAPS are currently available. ICAPS Personal Computer (PC) has incorporated the ability to produce formatted outputs that facilitate transmission of data from one provisioning activity to another. ICAPS Mainframe (MF) is a real-time database that enables all provisioning related activities to access and manipulate the data in the database. Although use of ICAPS simplifies the verification of the data development and submission process, the contractor has the latitude to utilize any system for development of the data. However, the system utilized must be able to produce a structured formatted text or flat file in accordance with the direction contained herein.

3. **PROVISIONING DATA PRODUCT FORMAT:** Figure 1 shows file structure that consists of 80 column record layout/format that is used to import the Provisioning Data Products (PDPs) into ICAPS. Figure 2 is a chart that relates the LMI Data Products to this standard format. The Contractor shall provide the required PDPs as specified on the LMI worksheet in this structured flat file format. This flat file is an 80 column record layout that includes a header, and records A,B,C,D,E,F,G,H,I,K,M. Multiple record data can be provided for each indentured or reference designator item. This file shall be sequenced by indenture or Reference Designation breakdown as described in paragraph 6.5.7 of the LMI Performance Specification (MIL-PRF-49506). The Card Sequencing Number (CSN), columns 78/79, is used to provide multiple layout data for each record, starting with 001 and increasing the CSN by 1. The following information further defines the data fields listed in Figure 1.

Header (If ICAPS PC or MF is being used to develop the Provisioning Data Products):

- (1) enter PCCN which is provided to the Contractor by the Government.
- (2) enter Procurement Instrument Identification Number (PIIN), normally called the Contract Number.
- (3) enter Model or Type No. or JETDS Nomenclature.
- (4) enter Control Data, use "BASIC" for first submittal.
- (5) enter Prime CAGE Code, CAGE Code of Contractor providing the Provisioning Data Products.
- (6) enter Submission Control Code, use "00001" for first submittal.
- (7) enter Date of List, use yr/mth/day the Provisioning header is loaded.
- (8) enter MIL-STD format, use "2B".
- (9) enter Update Activity, use activity code provided to Contractor by Government.

A RECORD: A maximum of nine "A" records can be accepted per Provisioning Line Item

Sequence Number (PLISN). The number will depend upon total number of reference numbers being provided. Blocks 1 through 14 in Figure 1 apply. Block 9 is not listed in the LMI Performance Specification but has been added to the LMI Worksheet by the Supplemental Provisioning Data page. Block 12 (Item Name) should be limited to a field length of 19.

[LMI S001] Block 9 Document Availability Code (DAC): 1 X F - A code which indicates the availability of technical documentation for the reference number as an item of identification IAW Table 5 of DOD 4100.38M.

B RECORD: A maximum of one "B" record can be accepted per PLISN. Blocks 1,2,3, and 15 through 28 in Figure 1 apply. Blocks 17 and 19 are LMI product number 1500, where the Unit of Measure Price shall be enter into block 17 and the Unit of Issue Price shall be enter into block 19.

C RECORD: A maximum of one "C" record can be accepted per PLISN. Blocks 1,2,3, and 29 through 42 in Figure 1 apply. Block 36 is not listed in the LMI Performance Specification but has been added to the LMI Worksheet by the Supplemental Provisioning Data page.

[LMI S011] Blk 36 Maintenance Replacement Rate Modifier (MRR MOD): 7 X F - A series of codes used to modify (multiply) the MRR for environmental conditions by area of system/equipment deployment. Consists of seven subfields. The first six subfields identify the multiplier to be used for the following geographic areas: CONUS (C); EUROPE (E); PACIFIC (P); SOUTHERN COMMAND (S); ALASKA (A); and MIDEAST (M).

| <u>Multiplier</u> | <u>Code</u> | <u>Multiplier</u> | <u>Code</u> |
|-------------------|-------------|-------------------|-------------|
| 0.25 | A | 2.00 | 5 |
| 0.50 | B | 2.25 | 6 |
| 0.75 | C | 2.50 | 7 |
| 1.00 | 1 | 2.75 | 8 |
| 1.25 | 2 | 3.00 | 9 |
| 1.50 | 3 | No requirement | 0 |
| 1.75 | 4 | | |

The seventh subfield is used to indicate if the item is subject to a wearout failure pattern, in which case it is coded "W".

D RECORD: A maximum of two "D" records can be accepted per PLISN. Blocks 1,2,3, and 43 through 56 in Figure 1 apply. Blocks 45,52,54,55 and 56 are not listed in the LMI Performance Specification but have been added to the LMI Worksheet by the Supplemental Provisioning Data page.

[LMI S012] Blk 45 Reference Designation Overflow Code (RDOC): 1 X F - A code that indicates that an additional "D" record is required for the Reference Designation. Enter "A" for first D record and "B" for the second D record.

[LMI S002] Blk 52 Minimum Replacement Unit (MRU): 3 N R - A minimum replacement unit quantity indicating the minimum quantity of an item that is normally replaced/installed upon failure or scheduled replacement.

[LMI S003] Blk 54 Recommended Initial System Stock Buy (RISS BUY): 3 N R - A numeric quantity representing the recommended minimum quantity to be bought for system stock.

[LMI S004] Blk 55 Recommended Tender Load List Quantity (RTLL): 3 N R - A numeric value representing the recommended quantity required by a tender to provide support to assigned hulls.

[LMI S005] Blk 56 Repair Survival Rate (RSR): 3 N R - The percentage of depot repairable assets which, through rework, will be returned to serviceable condition.

E RECORD: A maximum of one "E" record can be accepted per PLISN. Blocks 1, 2, 3, and 57 through 65 in Figure 1 apply. Blocks 60, 62, 63, 64 and 65 are not listed in the LMI Performance Specification but have been added to the LMI Worksheet by the Supplemental Provisioning Data page.

[LMI S006] Blk 60 Designated Rework Point (DRP): 12 X - A code which identifies the depot level repair facility responsible/designated for repair, rework, or renovations of a repairable item. The DRP field is composed of two subfields, allowing entry of two DRP codes.

- a. First subfield 6 X L -
- b. Second subfield 6 X L -

[LMI S007] Blk 62 Acquisition Method Code (AMC): 1 N F - A code assigned by Department of Defense (DOD) activities to describe the results of screening reviews of parts, defining either a single source or competitive procurement direction for the item. For codes and explanations refer to DOD 4100.38-M.

[LMI S008] Blk 63 Acquisition Method Suffix Code (AMSC): 1 X F - A code assigned by DOD activities to provide a further description of the AMC code by adding information concerning the status of a part in areas such as engineering, manufacturing, and technical data. For codes and explanations, refer to DOD 4100.38-M.

[LMI S009] Blk 64 Item Management Code (IMC): 1 A F - A single character indicating whether a supply item shall be subject to integrated management or shall be retained by the individual military services or other DOD components. The IMC is applicable to all NSN items in those commodity areas assigned for integrated material management. Definitions of IMC are contained in DOD 4100.38-M.

[LMI S010] Blk 65 Remain-In-Place Indicator (RIP): 1 A F - A single character identifying an item for which an unserviceable unit will be turned-in on an exchange basis after receipt of a serviceable unit. Code and definitions are as follows:

| | |
|--|---|
| No RIP authority granted | N |
| Safety consideration | S |
| Partial mission capable | P |
| Maintenance consideration | M |
| Mobility constrained | V |
| Has not been screened for RIP worthiness | X |
| Containerization | C |

F RECORD: A maximum of one "F" record can be accepted per PLISN. Blocks 1, 2, 3, and 66 through 74 in Figure 1 apply. Block 74 is not listed in the LMI Performance Specification but has been added to the LMI Worksheet by the Supplemental Provisioning Data page.

[LMI S013] Blk 74 Design Change Notice Useable On Code (DCN UOC): 8 x
The specific Usable On Codes affected by the design change.

G RECORD: A maximum of one "G" record can be accepted per PLISN. Blocks 1,2,3,66,75, and 76 on Figure 1 apply.

H RECORD: A maximum of one "H" record can be accepted per PLISN. Blocks 1,2,3,77,78, and 79 on Figure 1 apply. Block 77 (Logistic Support Analysis Control Number (LCN)) will be used for LMI Data Product number 380 (Indentured Product Code (IPC)). Block 78 (Alternate LCN) will be used for LMI Data Product Number 30 (Alternate IPC (AIPC)). The AIPC field length should be limited to 2. Block 79 (Provisioning Remarks) field length should be limited to 65.

J RECORD: A maximum of five "J" records can be accepted per PLISN. Blocks 1,2,3, and 80 through 90 in Figure 1 apply. Block 80 is not listed in the LMI Performance Specification but has been added to the LMI Worksheet by the Supplemental Provisioning Data page.

[LMI S015] Blk 80 Technical Manual Code (TM CODE) 3 X F - The
identification code assigned to a specific manual.

K RECORD: A maximum of one "K" records can be accepted per PLISN. Blocks 1,2,3,80,81,82, and 91 in Figure 1 apply. For Block 91, change LMI Data Product number 900 (Provisioning Nomenclature) field length to 42 X.

M RECORD: A maximum of four "M" records can be accepted per PLISN. Blocks 1,2,3, and 92 in Figure 1 apply.

4. **MEDIA FOR PROVISIONING DATA PRODUCT DELIVERY:** All media shall implement the file format specified in this document. All media shall permit the transmission of a transfer file. The media type shall be determined at the Provisioning Guidance Conference (PGC). The following types of media can be used to provide the PDPs IAW Figure 1 format:

a. Mainframe ICAPS - When used to load all the required PDPs, media transfer of the provisioning data is not required because the data is loaded real-time into ICAPS-MF. Use of ICAPS-MF facilitates concurrent provisioning.

b. Electronic Transfer of the Provisioning Data Product Format - Guidance can be found in the ICAPS-MF User's Guide UG-02. The MF User's Guide can be found on the ICAPS internet home page (address [HTTP://138.169.2.61/](http://138.169.2.61/)) . Internet Access or Dial-Up Access electronic transfer methods are available. Points of contact are also listed to provide assistance.

c. Digital media - Use 3 1/2 inch Diskettes or Compact Disks.

ATTACHMENT "7"

LMI DATA PRODUCT / ICAPS RELATIONAL TABLE

| DATA FORMAT BLOCK # | LMI DATA PRODUCT # | LMI ITEM NAME | LMI FIELD LENGTH | ICAPS ITEM NAME | ICAPS FIELD LENGTH |
|------------------------|-----------------------|--|---------------------|---|-----------------------|
| 1 | 0870 | PROVISIONING CONTRACT CONTROL NUMBER (PCCN) | 6XF | PCCN | 6X |
| 2 | 0890 | PROVISIONING LIST ITEM SEQUENCE NUMBER (PLISN) | 5XL | PLISN | 5X |
| 3 | 1420 | TYPE OF CHANGE CODE (TOCC) | 1AF | TOCC | 1X |
| 4 | 0370 | INDENTURE CODE | 1XF | IC | 1X |
| 5 | 0140 | COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE | 5XF | CAGE | 5X |
| 6 | 1050 | REFERENCE NUMBER (CSN=001)/ADDITIONAL RN (CSN>001) | 32XL | RN & ARN | 32X |
| 7 | 1060 | REFERENCE NUMBER CATEGORY CODE (FNCC) | 1XF | FNCC | 1X |
| 8 | 1070 | REFERENCE NUMBER VARIATION CODE (FNVC) | 1NF | FNVC | 1N |
| 9 | 5001 | DOCUMENT AVAILABILITY CODE (DAC) | 1XF | DAC | 1X |
| 10 | 0840 | 3. LOGRAM PARTS SELECTION LIST (PPSL) | 1AF | PPSL | 1X |
| 11 | 0280 | ESSENTIALITY CODE (EC) (PART MEC) | 1NF | EC | 1N |
| 12 | 0480 | ITEM NAME (LIMIT FIELD LENGTH TO 19 AN) | 40XL | ITEM NAME | 19X |
| 13 | 1190 | SHELF LIFE (SL) | 1XF | SL | 1X |
| 14 | 1200 | SHELF LIFE ACTION CODE (SLAC) | 2XF | SLAC | 2X |
| 15 | 0680 | NATIONAL STOCK NUMBER & RELATED DATA | 20X | COG, MCC, NSN, SUFFIX | 23(3)X |
| 16 | 1510 | UNIT OF MEASURE (UM) | 2AF | UM | 2X |
| 17 | 1500 | UNIT OF MEASURE PRICE | 10NR2 | UM PRICE | 11(2)N |
| 18 | 1470 | UNIT OF ISSUE (UI) | 2AF | UI | 2X |
| 19 | 1500 | UNIT OF ISSUE PRICE | 10NR2 | UI PRICE | 11(2)N |
| 20 | 1480 | UNIT OF ISSUE CONVERSION FACTOR (UICF) | 5N | UICF (FIRST DIGIT=DECIMAL LOCATOR 1NF) | 5N |
| 21 | 0980 | QUANTITY PER UNIT PACK (QPUP) | 3NR/NF | QPUP | 3N |
| 22 | 1220 | SOURCE, MAINTENANCE & RECOVERABILITY (SMR) CODE | 8XL | SMR CODE | 6 |
| 23 | 0230 | DEMILITARIZATION CODE (DMIL) | 1AF | DMIL | 1X |
| 24 | 0830 | PRODUCTION LEAD TIME (PLT) | 2NR | PLT | 2N |
| 25 | 0340 | HARDNESS CRITICAL ITEM (HCI) | 1AF | HCI | 1X |
| 26 | 0180 | CONTROLLED INVENTORY ITEM CODE (WAS PSPC) | 1XF | PHYSICAL SECURITY/PILFERAGE CODE (PSPC) | 1X |
| 27 | 0790 | PRECIOUS METAL INDICATOR CODE (PMIC) | 1XF | PMIC | 1X |
| 28 | 0040 | AUTOMATIC DATA PROCESSING EQUIPMENT CODE (ADPEC) | 1NF | ADPEC | 1N |
| 29 | 0690 | NEXT HIGHER ASSEMBLY PLISN (NHA PLISN) | 5XF | NHA PLISN | 5X |
| 30 | 0700 | NHA PLISN INDICATOR | 1XF | NHA IND | 1X |
| 31 | 0740 | OVERHAUL REPLACEMENT RATE (ORR) | 3NR2 | ORR (INCLUDES DASH) OHL QTY | 4N2 |

| DATA FORMAT BLOCK # | LMI DATA PRODUCT # | LMI ITEM NAME | LMI FIELD LENGTH | ICAPS ITEM NAME | ICAPS FIELD LENGTH |
|------------------------|-----------------------|---|---------------------|--|-----------------------|
| 32 | 0930 | QUANTITY PER ASSEMBLY (OPA) | 4A/LNR | OPA | 4N |
| 33 | 0950 | QUANTITY PER END ITEM (QPEI) | 5A/LNR | QTYEI | 5X |
| 34 | 0560 | MAINTENANCE REPLACEMENT RATE I (MRR1) | 8NR4 | MRR1/RF | 9N4 |
| 35 | 0570 | MAINTENANCE REPLACEMENT RATE II (MRR2) | 8NR3 | MRR2 | 9N3 |
| 36 | S011 | MAINTENANCE REPLACEMENT RATE MODIFIER * | 7XF | MAINTENANCE REPLACEMENT RATE MODIFIER | 7X |
| 37 | 1400 | TOTAL QUANTITY RECOMMENDED (TOR) | 6NR | TOR | 6N |
| 38 | 1150 | SAME AS PLISN | 5XL | SAME AS PLISN | 5X |
| 39 | 0820 | PRIOR ITEM PLISN | 5XL | PRIOR ITEM PLISN | 5X |
| 40 | 0620 | MAXIMUM ALLOWABLE OPERATION TIME (MAOT) | 4X | MAOT | 1X |
| 41 | 0540 | MAINTENANCE ACTION CODE (MAC) | 1AF | MAC | 1X |
| 42 | 0710 | NOT REPAIRABLE THIS STATION (NRTS) | 3AF | NRTS | 3X |
| 43 | 1560 | USABLE ON CODE (UOC) | 4XL | UOC | 8X |
| 44 | 1030 | REFERENCE DESIGNATION (RD) (LIMIT FIELD LENGTH TO 32) | 84XL | RD | 32X |
| 45 | S012 | REFERENCE DESIGNATION OVERFLOW CODE * | 1XF | RDOC | 1X |
| 46 | 1040 | REFERENCE DESIGNATION CODE (RDC) | 1AF | RDC | 1X |
| 47 | 1260 | SPECIAL MATERIAL CONTENT CODE (SMCC) | 1AF | SMCC (TYIT 1st POSITION) | 1A |
| 48 | 0880 | PROVISIONING LIST CATEGORY CODE (PLCC) | 1AF | PLCC (TYIT 2nd POSITION) | 1A |
| 49 | 1240 | SPECIAL MAINTENANCE ITEM CODE (SMC) | 1AF | SMC (TYIT 3rd POSITION) | 1A |
| 50 | 0010 | ALLOWANCE ITEM CODE (AIC) | 2XF | AIC (2 SUBFIELDS, TYPE=1AF & CODE=1XF) | 2X |
| 51 | 0020 | ALLOWANCE ITEM QUANTITY (AIC QTY) | 3NR | AIC QTY | 3X |
| 52 | S002 | MINIMUM REPLACEMENT UNIT (MRU) * | 3NR | MRU, FL2 | 3N |
| 53 | 1010 | RECOMMENDED MINIMUM SYSTEM STOCK LEVEL (RMSSL) | 3NR | RMSSL | 3N |
| 54 | S003 | RECOMMENDED INITIAL SYSTEM STOCK BUY * | 3NR | RECOMMENDED INITIAL SYSTEM STOCK BUY | 3N |
| 55 | S004 | RECOMMENDED TENDER LOAD LIST QUANTITY * | 3NR | RTLLO | 3N |
| 56 | S005 | REPAIR SURVIVAL RATE (RSR) * | 3NR | RSR, FFH | 3N |
| 57 | 0580 | MAINTENANCE TASK DISTRIBUTION | 14N | MAINTENANCE TASK DISTRIBUTION | 10X |
| 58 | 1080 | REPAIR CYCLE TIME | 18N | REPAIR CYCLE TIME (4 SUB FIELDS) | 15X |
| 59 | 1110 | REPLACEMENT TASK DISTRIBUTION | 15N | REPLACEMENT TASK DISTRIBUTION (4 SUB FIELDS) | 15N |
| 60 | S006 | DESIGNATED REWORK POINT (DRP) * | 12X | DESIGNATED REWORK POINT (2 SUB FIELDS) | 12X |
| 61 | 0170 | CONTRACTOR TECHNICAL INFORMATION CODE (CTIC) | 2A | CTIC | 2X |
| 62 | S007 | ACQUISITION METHOD CODE (AMC) * | 1NF | AMC | 1X |
| 63 | S008 | ACQUISITION METHOD SUFFIX CODE (AMSC) * | 1XF | AMSC | 1X |
| 64 | S009 | ITEM MANAGEMENT CODE (IMC) * | 1AF | IMC | 1X |
| 65 | S010 | REMAIN-IN-PLACE (RIP) * | 1AF | RIP | 1X |

FIGURE 2
LMI WORKSHEET ATTACHMENT 1

| DATA FORMAT BLOCK # | LMI DATA PRODUCT # | LMI ITEM NAME | LMI FIELD LENGTH | ICAPS ITEM NAME | ICAPS FIELD LENGTH |
|------------------------|-----------------------|--|---------------------|--|-----------------------|
| 66 | 0120 | CHANGE AUTHORITY NUMBER | 15XL | CHANGE AUTHORITY NUMBER | 15X |
| 67 | 0430 | INTERCHANGEABILITY CODE (IC) | 2AF | IC | 2X |
| 68 | 1170 | SERIAL NUMBER EFFECTIVITY | 20X | SERIAL NUMBER EFFECTIVITY, 2 FIELDS 10X EACH | 20X |
| 69 | 1390 | TOTAL ITEM CHANGES (TIC) | 2NR | TIC | 2N |
| 70 | 1090 | REPLACED OR SUPERSEDING PLISN | 5XL | REPLACED OR SUPERSEDING PLISN | 5X |
| 71 | 1100 | REPLACED OR SUPERSEDING PLISN INDICATOR | 1AF | REPLACED OR SUPERSEDING PLISN INDICATOR | 1X |
| 72 | 1000 | QUANTITY SHIPPED | 6NR | QUANTITY SHIPPED | 6N |
| 73 | 0990 | QUANTITY PROCURED | 6NR | QUANTITY PROCURED | 6N |
| 74 | S013 | DESIGN CHANGE NOTICE UOC * | 8X | DCN UOC | 8X |
| 75 | 0850 | PRORATED EXHIBIT LINE ITEM NUMBER (PRORATED ELIN) | 6X | PRORATED ELIN | 6N |
| 76 | 0860 | PRORATED QUANTITY | 6NR | PRORATED QUANTITY | 6N |
| 77 | 0380 | INDENTURED PRODUCT CODE (IPC) (WAS LCN) | 24XL | LOGISTIC SUPPORT ANALYSIS CONTROL NO. (LCN) | 18X |
| 78 | 0030 | ALTERNATE INDENTURED PRODUCT CODE (AIPC) | 2NF | ALTERNATE LCN | 2NF |
| 79 | 0820 | PROVISIONING REMARKS (LIMIT FIELD LENGTH TO 79) | ----- | PROVISIONING REMARKS | 79A/N |
| 80 | S015 | TECHNICAL MANUAL CODE (TMC) * | 3XF | TMC | 3X |
| 81 | 0300 | FIGURE NUMBER | 4XR | FIGURE NUMBER | 4X |
| 82 | 0500 | ITEM NUMBER | 4XR | ITEM NUMBER | 4X |
| 83 | 1350 | TECHNICAL MANUAL CHANGE NUMBER (TM CHG) | 2NR | TM CHG | 2N |
| 84 | 1360 | TECHNICAL MANUAL INDENTURE CODE (TM IND) | 1NF | TM IND | 1N |
| 85 | 0960 | QUANTITY PER FIGURE | 3NR | QUANTITY PER FIGURE | 3N |
| 86 | 1580 | WORK UNIT CODE | 7XF | WORK UNIT CODE (2 SUB FIELDS) | 11X |
| 87 | 0050 | BASIC OF ISSUE (BOI) (4 SUB FIELDS) | 15X | BOI | 15X |
| 88 | 0190 | CRITICALITY CODE (CC) | 1AF | NUCLEAR HARDNESS CRITICAL ITEM (NHCI) | 1AF |
| 89 | 0490 | ITEM NAME CODE | 5NF | ITEM NAME CODE | 5NF |
| 90 | 0520 | LINE REPLACEABLE UNIT (LRU) | 1AF | LRU | 1X |
| 91 | 0900 | PROVISIONING NOMENCLATURE (LIMIT FIELD LENGTH TO 42) | ----- | PROVISIONING NOMENCLATURE | 42X |
| 92 | 0590 | MATERIAL | 240XL | MATERIAL | 240A/N |

* See Attachment I to LMI Worksheet

LMI WORKSHEET ATTACHMENT 2

Navy's LMI Supplemental Requirements For Component Identification Data (CID)

1. Information contained herein describes the specifications for submission of Component Identification Data (CID). CID is the data that describes the end item or component being provisioned, the purchasing data, and Data Certification data. Sections A, B, C and D are required for Provisioning Header Data and Advance RIC requests. For a Statement of Prior Submission (SPS), CID Sections A, B, C, D and E are required. CID was formerly submitted to the government via NAVSEA 4423/3A Cover Pages for CFE or hard copy letters for GFE.

2. DATA FILE FORMAT. The Contractor shall provide the following data as CID for each Data Product Deliverable (DPD) in accordance with the SOW and the Contract Data Requirements Lists (CDRLs). The CID shall be delivered concurrently with every DPD. The data shall be submitted as specified below, and shall be divided into sections as identified below. Delivery shall be via electronic media as agreed upon at the PGC.

SECTION A: HEADER DATA

[LMI 0870] Provisioning Contract Control Number (PCCN): 6 X F - Enter applicable Navy PCCN assigned for use for the contract.

[LMI S016] Order Number: 19 X L - Enter the contract or purchase order number (PIIN) and the contract or purchase order item number (SPIIN). If the identical equipment is being furnished from more than one contract, list all applicable contracts for which provisioning data has been previously submitted.

[LMI 0480] Component Name: 40 X L - Enter name of component.

[LMI 1050] Model/Type No.: 32 X L - Enter model/type number of component.

[LMI S017] Control Data: 10 X L - This block shall be used to identify the submission of a complete DPD, a revision, or a Statement of Prior Submission (SPS). Enter "BASIC" for the initial complete DPD. Enter "REV A" for the first revision, "REV B" for the second revision, etc. Enter "SPS" for a Statement of Prior Submission.

[LMI S018] Component APL/AEL Number: 10 X L - Enter the Allowance Parts List (APL) or Allowance Equipage List (AEL) number for the component, if known.

[LMI 0140] Prime Commercial and Government Entity (CAGE) Code: 5 X F - Enter the CAGE Code representing the design control activity or actual manufacturer.

SECTION B: COMPONENT CHARACTERISTICS FILE (CCF) DATA

[LMI S019] Manufactured by: Unlimited X L - Enter name, address and phone number of manufacturer.

[LMI 1050] Naval Command's Drawing No.: 32 X L - Enter Naval Command's drawing number, if known.

[LMI 1050] Manufacturer's Drawing No.: 32 X L - Enter manufacturer's drawing number.

[LMI 1050] Model/Type No.: 32 X L - Enter model/type number of component.

[LMI 1050] Equipment Specification: 32 X L - Enter equipment specification number of component.

[LMI 0680] National Stock Number (NSN) or Navy Item Control Number (NICN): 20 X L - Enter the NSN/NICN for the component.

[LMI S020] Technical Coding Source: 32 X L - Enter method of technical coding assignment (LSAR review, engineering review, etc.).

[LMI 0140] Commercial and Government Entity (CAGE) Code: 5 X F - Enter the CAGE Code representing the design control activity or actual manufacturer.

[LMI S021] Characteristics Data: Unlimited X L - Enter complete characteristic data including type or model number (or both) or drawing numbers, size (HP, GPM, etc.), electrical characteristics, size of connections (if applicable), and other data required for positive identification of the component design and applicable repair parts.

[LMI S022] CCF Notes: Unlimited X L - For government use only. Used to record special Navy notes as applicable (e.g. APL origin, equipment obsolescence identification, etc.).

[LMI 1370] Technical Manual Number: 30 X L - Enter applicable Navy identification number of the technical manual which includes the component being provisioned, if known.

[LMI 1050] Certification Data Sheet No.: 32 X L - Enter certification data sheet number when assigned, if known.

SECTION C: APPLICATION DATA

[LMI S023] Next Higher Assembly (NHA): Unlimited X L - This block relates to the equipment being provisioned. Identify the NHA for the item being provisioned, if known.

[LMI S024] Next Lower Assembly (NLA): Unlimited X L - This block relates to the equipment being provisioned. Identify the NLA for the item being provisioned, if known.

[LMI S025] Navy Hull Nos./Activity Unit Identification Codes (UICs): 10 X L - When known, enter all Navy hull numbers or activity UICs to which the end item/component is being provided from the referenced procurement(s). If Navy hull numbers or UICs are not known, enter the total number of end items purchased for Navy use by the referenced contracts.

[LMI S026] Number of Components: 5 N R - When known, enter the number of components installed/to be installed on each Navy hull and/or UICs.

[LMI S027] Service Application Data: Unlimited X L - Enter Service Application Code (SAC), Service Application Description (SAD), Equipment Identification Code (EIC) or Expanded Ship Work Breakdown Structure (ESWBS), as appropriate.

SECTION D: CERTIFICATION DATA

The contractor (submitter), Technical Support Activity (TSA), In Service Engineer (ISE) and Inventory Control Point (ICP) shall each provide the following information:

[S028] Name - 20 X L

[S028] Organization/Code - 20 X L

[S028] Phone - 20 X L

SECTION E: STATEMENT OF PRIOR SUBMISSION (SPS) INFORMATION

In the event the contractor believes that Provisioning Technical Documentation (PTD) submitted previously also documents the component listed in Sections A and B, the contractor shall complete the data items shown in Sections A, B, C, D and E.

[LMI S029] SPS Previous Order Number: 19 X L - Enter the previous contract or purchase order number (PIIN) and the contract or purchase order item number (SPIIN). If the identical equipment is being furnished from more than one contract, also list all applicable contracts for which provisioning data has been previously submitted.

[LMI S030] Provisioning Activity Receiving Previous PTD: Unlimited X L - Enter the name and address of the activity to which the previous provisioning was submitted.

[LMI 0680] National Stock Number (NSN) or Navy Item Control Number (NICN): 20 X L - Enter the NSN/NICN for the component.

[LMI S031] Electrical, Mechanical, Physical, and Dimensional Data: Unlimited X L - If the item to be provided is identical in every respect to the item provisioned previously, enter a brief statement confirming that there is complete interchangeability (including replacement parts) electrically, mechanically, physically, and dimensionally between the items. If the

item being provided has been modified in any respect from the previously provisioned item, enter a brief statement explaining the degree of interchangeability including its replacement parts.

[LMI S032] Number or Percent of Changes to Update PTD to New Configuration: 5 X L - Enter either the number or percentage of changes required to update the previously delivered PTD to the new configuration.

[LMI S033] Brief Description of Changes: Unlimited X L - Enter a brief description of the changes to the new configuration from the previously submitted provisioning data.

3. MEDIA FOR COMPONENT IDENTIFICATION DATA (CID) DELIVERY: All media shall implement the file format specified in this document. All media shall permit the transmission of a transfer file. The media type shall be determined at the Provisioning Guidance Conference (PGC). The following types of media can be used to provide CID in the required format:

- a. Electronic Transfer of CID
- b. Digital media - Use 3 1/2 inch Diskettes or Compact Disks.

SUMMARY TITLE: Engineering Data For Provisioning (EDFP)**SPECIFIC INSTRUCTIONS:**

The Contractor shall identify and provide EDFP for all systems, equipment, and repair parts for all article(s) on contract. For items without a National Stock Number (NSN), recognized industry standard or government specification or standard, the following order of precedence is required for EDFP:

- a. Technical Data equivalent to approved Product Engineering Drawings as defined in MIL-T-31000
- b. Technical Data equivalent to in-process/incomplete Product Engineering Drawings as defined in MIL-T-31000
- c. Commercial drawings
- d. Commercial manuals, catalogs or catalog descriptions
- e. Sketches or photographs with a brief description of dimensional, material, mechanical, electrical or other characteristics.

EDFP shall provide for the following:

- a. Technical identification of items of maintenance support considerations
- b. Preparation of item identification for the purpose of assigning National Stock Numbers (NSNs)
- c. Review for item entry control
- d. Standardization
- e. Review for potential interchangeability and substitutability
- f. Item management coding
- g. Preparation of allowance/issue lists
- h. Source, Maintenance, and Recoverability coding

EDFP shall not be provided when the item is:

- a. Identified by a government specification or standard which completely describes the item including its material, dimensional, mechanical and electrical characteristics
- b. Identified in Defense Logistics Information as having an NSN with salient characteristics identical to the item
- c. Item is listed as a reference item (subsequent appearance of an item) on a parts list

DATA NOT IN LMI SPECIFICATION (Please provide the data product title, its definition and its format):

Engineering Data for Provisioning (EDFP) is engineering data used in the initial provisioning of support resources. EDFP is the technical data which provides definitive identification of dimensional, material, mechanical, electrical, or other characteristics adequate for provisioning of the support items of the end article(s) on contract. EDFP consists of data such as specifications, standards, drawings, photographs, sketches and descriptions, and the necessary assembly and general arrangement drawings, schematic, drawings, schematic diagrams, wiring and cable diagrams, etc., or what is sometimes referred to as form, fit, and function. EDFP format and content must be prepared in accordance with the latest industry standards and must be reproducible.

SUMMARY LAYOUT (if applicable): Government Provided ☐ Contractor Provided ☐